

**RECHARGER**<sup>™</sup> • **CONTACTOR**<sup>™</sup> Quality Stormwater & Septic Chambers

se for Pen. NESS CNST&M printing service. 1-600 668-6627. NESS, Inc. Perethrough NS 20456. Was refer on h

JOB AART - RR Track	Crossing
SHEET NO.	OF
CALCULATED BY	DATE 917/06
CHECKED BY	DATE
SCALE	

taining Wall			2	8'	10	,2 /
0->6 96+	s = 101'	43.5			10	
6->0	26.		og for element of the second			
0 -> 13' 803	12 = 82,	28.		28		2.7
	10'		er en kenn sen en av			•
11 0	26				3	
0-16 30+5	z = 35'		1. N. S.			
2'→0	48'		The second secon			
10-70	26				3	
<i>O</i> → 2	: ( <b>4</b>					
	COLUMN MARKET					
	371	207	81	28	26	28
NC 3		Andrew Andrew Company				
207 x 114.5 Pg 39	: \$237	100	19ple 54.	L Q .	١.	
81 x 163.5	132				(ALSF	
28 x 2n.5	60	90	6 KISL N	. 15 84	× 103	5 = 2
50 X 320	83					
28 x \$399	11172			<b>(</b>	~2526 2453	*
	5 685 c	26			५५५४	
egen and an extra process of the service of the ser				₹	2.18	er s
Average Retaining	well on	- pris. = 1	39			
	370f. = 1					
x Polit	5/QT+ = (	×2,530				
			economic (en algorithm) et e constitution (en algorithm).			

TM C	CULTEC, Inc.
	Brookfield, CT
	1-800-4-CULTEC
	www.cultec.com

RECHARGER <sup>TM</sup>				
Quality Stormwater	&	Septic	Cham	bers

JOB AART	- RR -	Track C	7022114
SHEET NO.	2/0	OF	3 -1
CALCULATED BY	CSH	DATE	9706
CHECKED BY		DATE _	
COME			

and the		· ·	
( m)	Security .	The second second	-
Programme of the Park	Charles to	surtact	ς
enaudicus consucernies	war and the same of the same o	and the second s	(98°40)

Approx length = 242+10 = 252

Concrete

6" thick 8" gravel best S' wide,

\$30.5/LF AS 388

30.5 x2: \$61/LF (10'wide Tustace)

\$61 x 275 ft = \$16,775 = 17,000

Resiling

TT OGrady Propositione X 43Ft Length = \$233/LF

371-101 = 270 +

270 Ft x 233 , \$ 62910 3 63,000

Guardrail

Approx legt 120 ft

Remark : 1206+ x 10/ft = 1200 ft F+J = 1206+ x 32/ft = 3840 ft



**RECHARGER**<sup>TM</sup> • **CONTACTOR**<sup>TM</sup> Quality Stormwater & Septic Chambers

JOB	AART	- RR	Tra	ck Cross	Nt_
SHEET NO.	~~~		OF		3a)
CALCULATED BY	<u> </u>		. DATE _	9/9/06	
CHECKED BY		<del></del>	. DATE		
SCALE					

·							
P	Ensie		£.	Section 2			
Cost	JAM	O at	A		47 00	12	4 Sept 20
The Transit Contract	100000000000000000000000000000000000000	or top one to	7 per 3	9900 9		1.7%	4 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
		*			. 9		- 1

Ret. Walls Walkway Railings Guardrail Landscoping \$ 63,000 \$ 63,000 \$ 5040 \$ 15,000

sub-total

102'040


Total

F181,544

Afe-Fab Bridge over RR Teacks

ূপা পুশা

Comp 科学教育 前列衛子集機能 "meingang associaes and on day some - Abrac in the company to the comp





8301 State Hwy 29 North Alexandria, MN 56308-8025 (320) 852-7500 (800) 328-2047 Fax: (320) 852-7067 www.continentalbridge.com

## We are pleased to quote a pedestrian Continental® Bridge

Contech Bridge Solutions will Design, Fabricate and Deliver the following:

Please deliver this fax to:						
Contact:	Ī	Date:		9/7/2006		
Corey York		Project:	Assabet	River Rail Trail		
Town of Acton		City, St		Acton MA		
,		Prelimin	ary Price		\$108,000	
					(F.O.B. destimation	shown above)
Bridge Size	95	X	10.25	Camber	1%	
Model	H-Section-one diagonal			Live Load	85 psf	
Finish	Weathering Steel			Vehicle Load	40000	LB
Decking	Galvanized Form Deck f	or Concr	ete			
Assuming 30 degree skew on each bridge	end			Design		
Accessorries:	•			Code:	AISC Stresses	
Safety Rails:	Vertical pickets 4in.		(Inside)			
Toe Plate:	Yes			No. of		
Wood Rub Rail:	Yes			Sections	2	
Pipe Hand Rail:	None			Lifting		
	ма			Weight	48600	Lbs
Drawings signed by PE in the State of:						

The above pricing does not include any applicable taxes, anchor bolts, foundation design or construction, unloading or erection costs.

Terms of Sale and deposit will be determined at the time of final quote.

Codes: Structural Welding Code (ANSI/AWS D1.1).

Weathering Steel Bridges: Steel Structure

Steel Structures Painting Council Surface Preparation Specifications No. 7

Brush-Off Cleaning, SSPC-SP7

## The following will be the responsibility of others:

- 1. All construction surveying, including field measurement and verification of abutments and anchor bolt placement, erection of the bridge.
- 2. Design, excavation and construction of bridge foundations including anchor bolts.
- 3. Touch up painting (Painted Bridges only).
- 4. Provide and install reinforcing and concrete deck (Concrete deck bridges only).

This quote will expire 60 days from the date issued unless otherwise specified by Continental. We appreciate the opportunity to provide you with this proposal.

Sincerely, CONTECH BRIDGE SOLUTIONS

Jodi Seidl

Jodi Seidl Sales Support Coordinator











## **Corey York**

From:

Seidl, Jodi [SeidlJ@contechbridge.com]

Sent:

Thursday, September 07, 2006 3:39 PM

To:

Corey York

Subject: RE: Assabet River Rail Trail

COREY: Here is your budget. However, our Estimator said that with the 40,000 lb vehicle load, we would need to build this as an 4-section (where the deck is raised up within the side trusses) to accommodate that load with the chords. The dimension from top of deck to abutment would be 35".

\_et us know how your grant goes, & if you move ahead. Thanks!

## Jodi Seidl Sales Support Leader CONTECH Bridge Solutions Inc.

3301 State Hwy 29 North Alexandria, MN 56308 Office: 800-328-2047 Fax: 320-852-7067 www.continentalbridge.com

Seidli@contechbridge.com

Please note new email address